

College of Nursing UNIVERSITY OF THE PHILIPPINES MANILA

The Health Sciences Center

Sotejo Hall, Pedro Gil Street, Ermita, Manila 1000 Philippines Tel Nos. (02) 85231472, (02) 85231477, (02) 85231494 • TeleFax: (02) 85231485 Email: upm-cn@up.edu.ph



N11 - NURSING FOUNDATIONS II

ACTIVITY GUIDE Donning and Doffing of Surgical Gown & Gloves (Closed Gloving Technique)

PURPOSE

On draping and gowning. Surgical gowns (and drapes) come in two main types: those made from reusable woven materials and those made from disposable, non-woven materials. When evaluating which surgical drapes and gowns are to be used for a surgical procedure, a few factors need to be considered. These factors include their ability to protect healthcare workers and patients from the risk of infections during surgery, their level of comfort, and economic feasibility. The material used in these gowns and drapes should be waterproof to protect the patient and surgical team from nosocomial infections and resist penetration from blood and body fluids. (EORNA, 2020) A randomized-control trial (RCT) and a quasi-RCT meta-analysis found no difference in using disposable, non-woven drapes and gowns compared to reusable ones to decrease the risk of surgical site infections (SSI). (WHO, 2018)

On gloving. Gloves are single-use items and should not be reused. The WHO Guidelines Development Group on the prevention of SSI decided not to formulate a recommendation due to the lack of evidence to assess whether double-gloving or changing gloves during the operation or using specific types of gloves is more effective in reducing the risk of SSI. (WHO, 2018)

LEARNING OUTCOME

At the end of the session, the students should be able to demonstrate the correct procedure for proper donning and doffing of surgical gown and closed-gloving technique.

Instructions: Check the appropriate column below based on the student's performance or non-performance of the expected skill. Check the " $\mathbf{D} = \mathsf{DONE}$ " or " $\mathbf{O} = \mathsf{OBSERVED}$ " column if the skill is performed and " $\mathbf{ND} = \mathsf{NOT} \; \mathsf{DONE}$ " if the skill is not performed. Any comments may be written in the last column.

Surgical Gowning Checklist

Name of Student Stu Name of Evaluator		tudent N	lumber		
			Group		
Da	ate of Evaluation		Mark	□ PAS	S PRACTICE
		PE	1ED		
PF	ROCEDURE	D	0	ND	COMMENTS
DC	ONNING OF GOWN				
1.	Grasp the sterile gown at the crease near				
	the neck, step back and allow it to unfold				
	freely in front of you, without touching				
	anything.				
2.	With hands at shoulder level, slip both arms	;			
	into the gown, without touching the outside of the gown. Keep hands inside the sleeves				
	of the gown.				
3.	The circulating nurse will step up behind				
	you and grasp the inside of the gown, bring				
	it over your shoulders, and secure the ties				
	LOVING (Closed Method)				
1.	With hands still inside the gown sleeves,				
	open the inner wrapper of the gloves on the	!			
	sterile gown field				
2.	To glove the non-dominant hand:				
	a. With the dominant hand, pick up the				
	opposite glove w/ the thumb and index				
	finger, handling it through the sleeves.				
	b. Position the dominant hand palm				
	upward inside the sleeve. Lay the glove	•			
	on the opposite gown cuff, thumb side				
	down, w/ the glove opening pointed				
	toward the fingers.				
	c. Use the non-dominant hand to grasp				
	the cuff of the glove through the gown				
	cuff, and firmly anchor it.				
	d. With the dominant hand working				
	through its sleeve, grasp the upper side				
	of the glove's cuff, and stretch it over				
1	the cuff of the gown.	1			

			RFORM	1ED	COMMENTS
PROCEDURE		D O		ND	
е	. Pull the sleeve up to draw the cuff over				
	the wrist as you extend the fingers of				
	the non-dominant hand into the glove's				
	fingers.				
3. To	glove the dominant hand:				
а	. Place fingers of the gloved hand under				
	the cuff of the remaining glove.				
b	. Place the glove over the cuff of the				
	second sleeve.				
С	Extend the fingers into the glove as you				
	pull the glove up over the cuff.				
d	. Interlock gloved fingers; secure fit				
			I		
_	FING AND DISPOSAL OF USED				
	GICAL GOWN o glove the dominant hand:				
	. Place fingers of the gloved hand under				
а	the cuff of the remaining glove.				
h	. Remove first glove by grasping it on its				
D	plantar surface, taking care to touch				
	only glove to glove hand.				
C	Pull the first glove completely off by				
	inverting or rolling the glove inside out.				
d	Continue to hold the removed glove by				
-	the fingers of the remaining gloved				
	hand. Place the first two fingers of the				
	bare hand inside the cuff of the second				
	hand.				
е	. Pull the second glove off, by turning it				
	inside out. This puts the first glove				
	inside the second glove. Dispose				
£	properly.			-	
f.	Perform handwashing.				

Name of Student Observer & Signature	Name of Faculty & Signature / Date

References

- Daniels, R., Wilkins, F., Grendell, R., (2010). Fundamentals Of Nursing: Nursing Foundations, Volume 1
- Global Guidelines for the Prevention of Surgical Site Infection. Geneva: World Health Organization; 2018. Web Appendix 17, Summary of a systematic review on drapes and gowns. Available from: https://www.ncbi.nlm.nih.gov/books/NBK536409/
- Kozier, B., Erb, G., Berman, A., & Snyder, S. (2007). <u>Fundamentals Of Nursing: Concepts, Process, & Practice</u>. (8th Ed). New Jersey: Pearson.
- The European Operating Room Nurses Association (EORNA). (2020). EORNA Best Practice for Perioperative Care (2nd Edition). ISBN: 9789082370904 Retrieved August 27, 2024, from https://www.ifpn.world/download_file/380/220